# SAFETY DATA SHEET



#### 1. Identification

**Product identifier Battery Fluid Acid** 

Other means of identification None.

Electrolyte for Industrial/Commercial electrical storage batteries. Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier East Penn Manufacturing Company, Inc. 102 Deka Road, Lyon Station PA 19536 **Address** 

(610) 682-6361 Telephone number

East Penn EHS Department Contact person

**Emergency telephone** 

number E-mail contactus@eastpenn-deka.com

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1 Carcinogenicity Category 1A

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

USA/Canada: CHEMTREC (800) 424-9300, Outside USA 1 (703) 527-3887

**Environmental hazards** Hazardous to the aquatic environment, acute Category 2

hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage. May cause respiratory irritation. May cause cancer.

Toxic to aquatic life.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Refer to manufacturer or supplier for information on recovery or recycling.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

**Battery Fluid Acid** SDS US 1/8

929705 Version #: 06 Revision date: 03-October-2023 Issue date: 19-September-2017

### 3. Composition/information on ingredients

#### **Mixtures**

Ingestion

Chemical name	CAS number	%
Sulphuric acid	7664-93-9	30 - 43
Other components below reportable levels		57 - 70

#### **Composition comments**

Components not listed are either non-hazardous or are below reportable limits.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

Inhalation Move injured person into fresh air and keep person under observation. Get medical attention

immediately.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Rinse mouth thoroughly with water. DO NOT induce vomiting because of danger of aspirating liquid into lungs. Get medical attention immediately.

Most important

symptoms/effects, acute and delayed

Exposure not expected under normal use conditions. Exposure to liquid causes serious eve and tissue damage. May cause serious chemical burns to the skin. Inhalation of mists/vapors of this product may cause headache, dizziness, nausea, and respiratory tract irritation. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

**General information** 

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Dry chemical powder, Foam, Carbon dioxide (CO2).

Water used for fire extinguishing, which has been in contact with the product, may be corrosive.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Sulfur trioxide (corrosive and toxic). Risk of fire and explosion on contact with metals as a result of hydrogen formation. Container may explode in heat of fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire fighting equipment/instructions

Specific methods

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Substance does not burn but will support combustion.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid breathing mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Neutralize the spilled material before disposal. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Dispose of waste and residues in accordance with local authority requirements. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

SDS US **Battery Fluid Acid** 

### 7. Handling and storage

Precautions for safe handling In the event of damage resulting in a leak of exposed materials, avoid contact with contents of an

open or damaged cell or battery. Do not get in eyes, on skin, or on clothing. Avoid breathing mist or vapor. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Protect containers from damage. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Value

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components

Typo

Components	Type	value	
Sulphuric acid (CAS 7664-93-9)	PEL	1 mg/m3	
US. ACGIH Threshold Limit Val Components	ues (TLV) Type	Value	Form
Sulphuric acid (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
NIOSH. Immediately Dangerous	s to Life or Health (IDLH) Values	, as amended	
Components	Type	Value	
Sulphuric acid (CAS 7664-93-9)	IDLH	15 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Sulphuric acid (CAS	TWA	1 mg/m3

7664-93-9)

Biological limit values No biological exposure limits noted for the ingredient(s).

**Appropriate engineering**controls
Provide adequate ventilation. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Leak from a damaged or opened battery: Glove material: Nitrile. Use gloves with breakthrough

time of 240 or 480 minutes. Minimum glove thickness 0.153 or 0.381 mm. Suitable gloves can be

recommended by the glove supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Gas mask with acid gas canister and high-efficiency particulate filter. If respirators are used, a

program should be instituted to assure compliance with OSHA 29 CFR 1910.134.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

# **Appearance**

Physical state Liquid.
Form Liquid.
Color Various.
Odor Odorless
Odor threshold None.
pH < 1

**Melting point/freezing point** Property has not been measured.

Battery Fluid Acid SDS US

Initial boiling point and boiling > 235.4 - < 240.8 °F (> 113 - < 116 °C)

range

Flash point Aqueous solution.

< 1 **Evaporation rate** 

Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Explosive limit - lower (%) 4 (as hydrogen gas) Explosive limit - upper (%) 74 (as hydrogen gas)

Vapor pressure 13 mm Hg

Vapor density Property has not been measured

> 1.2 - < 1.3 Relative density

Solubility(ies)

100 % Solubility (water)

Partition coefficient (n-octanol/water)

Not applicable, product is a mixture.

**Auto-ignition temperature** 932 °F (500 °C) (as hydrogen gas) **Decomposition temperature** Property has not been measured. Viscosity Property has not been measured.

Other information

**Explosive properties** Not explosive.

**Flammability** Substance does not burn but will support combustion.

Kinematic viscosity Property has not been measured.

**Oxidizing properties** Not oxidizing.

**Partition coefficient** 

(oil/water)

Not applicable, product is a mixture.

# 10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Do not allow water to get into container because of reaction.

Reducing agents. Strong bases. Combustible organic materials. Finely divided metals. Strong Incompatible materials

oxidizing agents. Acids.

Hazardous decomposition

products

At elevated temperatures: Sulfur dioxide, Sulfur trioxide, Carbon monoxide, Hydrogen sulfide,

Sulfonic acid.

### 11. Toxicological information

#### Information on likely routes of exposure

Mist or vapor may irritate the respiratory system. Difficulty in breathing. Inhalation of vapors or Inhalation

mists will likely result in mild to severe irritation of the nose, throat and lungs, depending on

airborne concentration.

Causes severe skin burns. Skin contact Causes serious eye damage. Eye contact

May be harmful if swallowed. Causes digestive tract burns. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Exposure not expected under normal use conditions. Exposure to liquid causes serious eye and tissue damage. May cause serious chemical burns to the skin. Inhalation of mists/vapors of this product may cause headache, dizziness, nausea, and respiratory tract irritation. Prolonged

exposure may cause chronic effects.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

**Battery Fluid Acid** SDS US Components Species Test Results

Sulphuric acid (CAS 7664-93-9)

Acute Oral

LD50 Rat 2140 mg/kg

Skin corrosion/irritation Causes severe skin burns.
Serious eye damage/eye Causes serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity**None under normal conditions. Exposure to contents of an open or damaged battery: Risk of

cancer cannot be excluded with prolonged exposure. The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric

acid and not to sulfuric acid or sulfuric acid solutions.

IARC Monographs. Overall Evaluation of Carcinogenicity

Sulphuric acid (CAS 7664-93-9) 1 Carcinogenic to humans.

NTP Report on Carcinogens

Sulphuric acid (CAS 7664-93-9) Known To Be Human Carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

**Further information** Chronic inhalation of sulfuric acid mist may increase the risk of lung cancer.

12. Ecological information

**Ecotoxicity**Toxic to aquatic life. Because of the low pH of this product, it would be expected to produce

significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** Potential to bioaccumulate is low.

Partition coefficient n-octanol / water (log Kow)

Sulphuric acid (CAS 7664-93-9) -2.2

**Mobility in soil** Potential for mobility in soil is very high.

Other adverse effects The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic

organisms.

13. Disposal considerations

Disposal instructions Neutralize electrolyte/sulfuric acid. Avoid discharge into water courses or onto the ground. Collect

and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Hazardous waste code D002: Waste Corrosive material [pH ≤2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Avoid discharge into water courses or onto the ground.

Battery Fluid Acid SDS US

### 14. Transport information

DOT

UN number UN2796

UN proper shipping name Battery fluid, acid

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group ||

Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12

Packaging exceptions 154
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN2796

UN proper shipping name Battery fluid, acid

Transport hazard class(es)

Class 8
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN2796

UN proper shipping name BATTERY FLUID, ACID

Transport hazard class(es)

Class 8
Subsidiary risk Packing group || Environmental hazards

Marine pollutant No. EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Allilex II OI MARFOL 73/70 al

the IBC Code

#### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sulphuric acid (CAS 7664-93-9) Listed.

Not established.

SARA 304 Emergency release notification

Sulfuric acid (aerosol forms only) (CAS 7664-93-9) 1000 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Toxic Substances Control Act (TSCA)** 

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

Battery Fluid Acid SDS US

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
Sulphuric acid	7664-93-9	1000	1000			

1000 Sulphuric acid 7664-93-9

SARA 311/312 Hazardous

chemical

Classified hazard Skin corrosion or irritation

Serious eye damage or eye irritation categories

Yes

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. 7664-93-9 Sulphuric acid

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Sulphuric acid (CAS 7664-93-9)

Safe Drinking Water Act

Not regulated.

(SDWA)

### Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Sulphuric acid (CAS 7664-93-9) 6552

# Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Sulphuric acid (CAS 7664-93-9) 20 %WV

**DEA Exempt Chemical Mixtures Code Number** 

Sulphuric acid (CAS 7664-93-9) 6552

#### **US** state regulations

### **US. Massachusetts RTK - Substance List**

Sulphuric acid (CAS 7664-93-9)

# US. New Jersey Worker and Community Right-to-Know Act

Sulphuric acid (CAS 7664-93-9)

# US. Pennsylvania Worker and Community Right-to-Know Law

Sulphuric acid (CAS 7664-93-9)

### **US. Rhode Island RTK**

Sulphuric acid (CAS 7664-93-9)

#### California Proposition 65



WARNING: This product can expose you to Sulphuric acid, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# California Proposition 65 - CRT: Listed date/Carcinogenic substance

Sulphuric acid (CAS 7664-93-9) Listed: March 14, 2003

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Sulphuric acid (CAS 7664-93-9)

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (FINECS)	Yes

**Battery Fluid Acid** SDS US Country(s) or region Inventory name On inventory (yes/no)\* Europe European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

# 16. Other information, including date of preparation or last revision

**Issue date** 19-September-2017 **Revision date** 03-October-2023

Version # 06

HMIS® ratings Health: 3\*

Flammability: 0 Physical hazard: 0

**Disclaimer** EastPenn cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Battery Fluid Acid SDS US

929705 Version #: 06 Revision date: 03-October-2023 Issue date: 19-September-2017

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).