



COMMERCIAL CYCLE SERVICE/ DUAL PURPOSE

You make
enough stops
during the day.

Don't let your
battery stop
you, too!

Constant stops can shorten the life of any ordinary commercial battery. Your customers depend on you to deliver on time...time after time. To keep them satisfied, you need a battery you can depend on to keep your trucks on the move.


Deka Cycle Service/Dual Purpose batteries are specially designed to withstand the daily stop-and-start abuse of multi-stop delivery vehicles and reefers. These batteries provide plenty of cold cranking power for easy starting and ample reserve power to handle the cycling demands typical of these types of commercial applications.



QUALITY SYSTEM
CERTIFIED
ISO 9001
ISO/TS 16949
ENVIRONMENTAL
SYSTEM CERTIFIED
ISO 14001



COMMERCIAL CYCLE SERVICE/ DUAL PURPOSE



- 1 Remote safety vent is flame retardant. Provides corrosion-free operation for longer life.
- 2 Polypropylene ribbed case is reinforced to withstand abusive commercial service for long life.
- 3 Reinforced case bottom resists punctures from stones and foreign objects, extending battery life.
- 4 Anchor-locked elements resist pounding vibration for long, reliable service life.
- 5 Fiberglass wrapped envelope separators lock active material to the plates extending battery life.
- 6 Power-Perform™ plates provide maximum power-per-pound for dependable "high cycling" service.
- 7 Full frame, positive and negative grids resist internal shorts for longest life.
- 8 Heavy-duty straight-thru-partition connectors reduce resistance for higher cranking amperage.
- 9 Heavy-duty cast-on straps direct more power to the terminals for highest cranking power.
- 10 Heavy-duty internal posts provide for highest current flow.
- 11 Forged terminal bushings resist leakage, black posts and corrosion, extending battery life.
- 12 Stainless steel terminal studs resist corrosion for longer service life.
- 13 With specially designed screw-in caps, battery is maintenance-free, but not maintenance-impossible.
- 14 Leak resistant, maintenance-free flush cover keeps battery top clean and dry, for safe handling and use.

BCI GROUP	PART NO.	FOOTNOTES	PERFORMANCE LEVEL			APPROX. SHIP WGT./LBS.	MAX OVERALL DIMENSIONS INCHES (MM)		
			0°F CCA	RES. CAP.	32°F CA		L	W	H
31	DP31CS	19, 21, 22, 43, X	700	185	875	57			
31	7T31	19, 21, 22, 43, X	730	190	940	62	13 (330)	6¾ (171)	9½ (241)
31P	7T31P	19, 21, 22, 43	730	190	940	62			

All ratings conform to BCI specifications. These specifications are subject to change without notice. Batteries manufactured in polypropylene cases and covers. All batteries are maintenance-free calcium grids except where noted.

FOOTNOTES:
 19 – Includes lifting ledges
 21 – Anchor-locked elements
 22 – Flush manifold vented cover
 43 – Warranty is 12 months in deep cycle service
 X – 3/8" x 16 stainless steel stud posts



www.dekabatteries.com



East Penn Manufacturing Co. Lyon Station, PA 19536-0147 Phone: 610-682-6361 Fax: 610-682-0891 Order Department Hotline: 610-682-4231