



# SPACESAVER™ SYSTEMS

## AVR45 DISCHARGE RATES IN WATTS PER CELL

Ratings in Watts per Cell at 77°F (25°C) to 1.67 v.p.c.

| Cell Type | Time (Minutes) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |  |  |  |
|-----------|----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|
|           | 5              | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   | 26   | 27   | 28   | 29   | 30   | 31   | 32   |  |  |  |  |
| AVR45-5   | 312            | 304  | 296  | 287  | 279  | 271  | 264  | 256  | 249  | 241  | 234  | 229  | 224  | 220  | 215  | 210  | 207  | 203  | 200  | 196  | 193  | 189  | 186  | 182  | 179  | 175  | 173  | 171  |  |  |  |  |
| AVR45-7   | 468            | 456  | 443  | 431  | 418  | 406  | 395  | 384  | 372  | 361  | 350  | 343  | 336  | 329  | 322  | 315  | 310  | 304  | 299  | 294  | 289  | 283  | 278  | 273  | 267  | 262  | 259  | 256  |  |  |  |  |
| AVR45-9   | 624            | 608  | 591  | 575  | 558  | 542  | 527  | 513  | 498  | 484  | 469  | 459  | 450  | 440  | 431  | 421  | 414  | 407  | 400  | 393  | 386  | 378  | 371  | 364  | 357  | 350  | 346  | 342  |  |  |  |  |
| AVR45-11  | 781            | 760  | 740  | 719  | 699  | 678  | 659  | 641  | 622  | 604  | 585  | 573  | 561  | 550  | 538  | 526  | 517  | 508  | 499  | 490  | 482  | 473  | 464  | 455  | 446  | 437  | 432  | 427  |  |  |  |  |
| AVR45-13  | 939            | 914  | 889  | 863  | 838  | 813  | 791  | 769  | 747  | 725  | 703  | 686  | 674  | 660  | 645  | 631  | 620  | 610  | 599  | 588  | 578  | 567  | 556  | 545  | 535  | 524  | 518  | 512  |  |  |  |  |
| AVR45-15  | 1042           | 1023 | 1005 | 986  | 968  | 949  | 923  | 897  | 871  | 845  | 819  | 802  | 786  | 769  | 753  | 736  | 724  | 711  | 699  | 686  | 674  | 662  | 649  | 637  | 624  | 612  | 605  | 598  |  |  |  |  |
| AVR45-17  | 1248           | 1216 | 1184 | 1148 | 1116 | 1084 | 1056 | 1024 | 996  | 964  | 936  | 916  | 896  | 880  | 860  | 840  | 828  | 812  | 800  | 784  | 772  | 756  | 744  | 728  | 716  | 700  | 692  | 684  |  |  |  |  |
| AVR45-19  | 1404           | 1368 | 1332 | 1292 | 1256 | 1220 | 1188 | 1152 | 1121 | 1085 | 1053 | 1031 | 1008 | 990  | 968  | 945  | 932  | 914  | 900  | 882  | 869  | 851  | 837  | 819  | 806  | 788  | 779  | 770  |  |  |  |  |
| AVR45-21  | 1560           | 1520 | 1480 | 1435 | 1395 | 1355 | 1320 | 1280 | 1245 | 1205 | 1170 | 1145 | 1120 | 1100 | 1075 | 1050 | 1035 | 1015 | 1000 | 980  | 965  | 945  | 930  | 910  | 895  | 875  | 865  | 855  |  |  |  |  |
| AVR45-23  | 1716           | 1672 | 1628 | 1579 | 1535 | 1491 | 1452 | 1408 | 1370 | 1326 | 1287 | 1260 | 1232 | 1210 | 1183 | 1155 | 1139 | 1117 | 1100 | 1078 | 1062 | 1040 | 1023 | 1001 | 985  | 963  | 952  | 941  |  |  |  |  |
| AVR45-25  | 1872           | 1824 | 1776 | 1722 | 1674 | 1626 | 1584 | 1536 | 1494 | 1446 | 1404 | 1374 | 1344 | 1320 | 1290 | 1260 | 1242 | 1218 | 1200 | 1176 | 1158 | 1134 | 1116 | 1092 | 1074 | 1050 | 1038 | 1026 |  |  |  |  |
| AVR45-27  | 2028           | 1976 | 1924 | 1866 | 1814 | 1762 | 1716 | 1664 | 1619 | 1567 | 1521 | 1489 | 1456 | 1430 | 1398 | 1365 | 1346 | 1320 | 1300 | 1274 | 1255 | 1229 | 1209 | 1183 | 1164 | 1138 | 1125 | 1112 |  |  |  |  |
| AVR45-29  | 2184           | 2128 | 2072 | 2009 | 1953 | 1897 | 1848 | 1792 | 1743 | 1687 | 1638 | 1603 | 1568 | 1540 | 1505 | 1470 | 1449 | 1421 | 1400 | 1372 | 1351 | 1323 | 1302 | 1274 | 1253 | 1225 | 1211 | 1197 |  |  |  |  |
| AVR45-31  | 2340           | 2280 | 2220 | 2153 | 2093 | 2033 | 1980 | 1920 | 1868 | 1808 | 1755 | 1718 | 1680 | 1650 | 1613 | 1575 | 1553 | 1523 | 1500 | 1470 | 1448 | 1418 | 1395 | 1365 | 1343 | 1313 | 1298 | 1283 |  |  |  |  |
| AVR45-33  | 2496           | 2432 | 2368 | 2296 | 2232 | 2168 | 2112 | 2048 | 1992 | 1928 | 1872 | 1832 | 1792 | 1760 | 1720 | 1680 | 1656 | 1624 | 1600 | 1568 | 1544 | 1512 | 1488 | 1456 | 1432 | 1400 | 1384 | 1368 |  |  |  |  |

Ratings in Watts per Cell at 77°F (25°C) to 1.67 v.p.c. (continued)

| Cell Type | Time (Minutes) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |     |     |     |     |     |  |  |  |  |
|-----------|----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|--|--|--|--|
|           | 33             | 34   | 35   | 36   | 37   | 38   | 39   | 40   | 41   | 42   | 43   | 44   | 45   | 46   | 47   | 48   | 49   | 50   | 51   | 52   | 53   | 54   | 55   | 56  | 57  | 58  | 59  | 60  |  |  |  |  |
| AVR45-5   | 169            | 167  | 165  | 163  | 161  | 159  | 157  | 155  | 153  | 151  | 149  | 147  | 145  | 143  | 141  | 139  | 137  | 135  | 133  | 131  | 129  | 127  | 125  | 123 | 121 | 119 | 117 | 115 |  |  |  |  |
| AVR45-7   | 253            | 250  | 247  | 244  | 241  | 238  | 235  | 232  | 229  | 226  | 223  | 220  | 217  | 214  | 211  | 208  | 205  | 202  | 199  | 196  | 163  | 190  | 187  | 184 | 181 | 178 | 175 | 172 |  |  |  |  |
| AVR45-9   | 338            | 334  | 330  | 326  | 322  | 318  | 314  | 310  | 306  | 302  | 298  | 294  | 291  | 287  | 283  | 279  | 275  | 271  | 267  | 263  | 259  | 255  | 251  | 247 | 243 | 239 | 235 | 231 |  |  |  |  |
| AVR45-11  | 422            | 417  | 412  | 407  | 402  | 397  | 392  | 387  | 382  | 377  | 372  | 367  | 363  | 358  | 353  | 348  | 343  | 338  | 333  | 328  | 323  | 318  | 313  | 308 | 303 | 298 | 293 | 288 |  |  |  |  |
| AVR45-13  | 506            | 500  | 494  | 488  | 482  | 477  | 471  | 465  | 459  | 453  | 447  | 441  | 435  | 429  | 423  | 417  | 411  | 405  | 399  | 393  | 388  | 382  | 376  | 370 | 364 | 358 | 352 | 346 |  |  |  |  |
| AVR45-15  | 591            | 584  | 577  | 570  | 563  | 556  | 549  | 542  | 535  | 528  | 521  | 514  | 508  | 501  | 494  | 487  | 480  | 473  | 466  | 459  | 452  | 445  | 438  | 431 | 424 | 417 | 410 | 403 |  |  |  |  |
| AVR45-17  | 676            | 668  | 660  | 652  | 644  | 636  | 628  | 620  | 612  | 604  | 596  | 588  | 580  | 572  | 564  | 556  | 548  | 540  | 532  | 524  | 516  | 508  | 500  | 492 | 484 | 476 | 468 | 460 |  |  |  |  |
| AVR45-19  | 761            | 752  | 743  | 734  | 725  | 716  | 707  | 698  | 689  | 680  | 671  | 662  | 653  | 644  | 635  | 626  | 617  | 608  | 599  | 590  | 581  | 572  | 563  | 554 | 545 | 536 | 527 | 518 |  |  |  |  |
| AVR45-21  | 845            | 835  | 825  | 815  | 805  | 795  | 785  | 775  | 765  | 755  | 745  | 735  | 725  | 715  | 705  | 695  | 685  | 675  | 665  | 655  | 645  | 635  | 625  | 615 | 605 | 595 | 585 | 575 |  |  |  |  |
| AVR45-23  | 930            | 919  | 908  | 897  | 886  | 875  | 864  | 853  | 842  | 831  | 820  | 809  | 798  | 787  | 776  | 765  | 754  | 743  | 732  | 721  | 710  | 699  | 688  | 677 | 666 | 655 | 644 | 633 |  |  |  |  |
| AVR45-25  | 1014           | 1002 | 990  | 978  | 966  | 954  | 942  | 930  | 918  | 906  | 894  | 882  | 870  | 858  | 846  | 834  | 822  | 810  | 798  | 786  | 774  | 762  | 750  | 738 | 726 | 714 | 702 | 690 |  |  |  |  |
| AVR45-27  | 1099           | 1086 | 1073 | 1060 | 1047 | 1034 | 1021 | 1008 | 995  | 982  | 969  | 956  | 943  | 930  | 917  | 904  | 891  | 878  | 865  | 852  | 839  | 826  | 813  | 800 | 787 | 774 | 761 | 748 |  |  |  |  |
| AVR45-29  | 1183           | 1169 | 1155 | 1141 | 1127 | 1113 | 1099 | 1085 | 1071 | 1057 | 1043 | 1029 | 1015 | 1001 | 987  | 973  | 959  | 945  | 931  | 917  | 903  | 889  | 875  | 861 | 847 | 833 | 819 | 805 |  |  |  |  |
| AVR45-31  | 1268           | 1253 | 1238 | 1223 | 1208 | 1193 | 1178 | 1163 | 1148 | 1133 | 1118 | 1103 | 1088 | 1073 | 1058 | 1043 | 1028 | 1013 | 998  | 983  | 968  | 953  | 938  | 923 | 908 | 893 | 878 | 863 |  |  |  |  |
| AVR45-33  | 1352           | 1336 | 1320 | 1304 | 1288 | 1272 | 1256 | 1240 | 1224 | 1208 | 1192 | 1176 | 1160 | 1144 | 1128 | 1112 | 1096 | 1080 | 1064 | 1048 | 1032 | 1016 | 1000 | 984 | 968 | 952 | 936 | 920 |  |  |  |  |



# SPACESAVER™ SYSTEMS

## AVR45 DISCHARGE RATES IN WATTS PER CELL *(cont.)*

Ratings in Watts per Cell at 77°F (25°C) to 1.75 v.p.c.

| Cell Type | Time (Minutes) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-----------|----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|           | 5              | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   | 26   | 27   | 28   | 29   | 30   | 31   | 32   |
| AVR45-5   | 269            | 260  | 252  | 243  | 235  | 226  | 220  | 241  | 209  | 203  | 197  | 193  | 189  | 186  | 182  | 178  | 175  | 171  | 168  | 164  | 161  | 158  | 154  | 151  | 147  | 144  | 142  | 141  |
| AVR45-7   | 403            | 390  | 378  | 365  | 353  | 340  | 331  | 322  | 314  | 305  | 296  | 290  | 284  | 279  | 273  | 267  | 262  | 257  | 251  | 246  | 241  | 236  | 231  | 225  | 220  | 215  | 213  | 210  |
| AVR45-9   | 538            | 521  | 504  | 486  | 469  | 452  | 440  | 429  | 417  | 406  | 394  | 387  | 379  | 372  | 364  | 357  | 350  | 343  | 336  | 329  | 323  | 316  | 309  | 302  | 295  | 288  | 285  | 282  |
| AVR45-11  | 673            | 651  | 630  | 608  | 587  | 565  | 551  | 536  | 522  | 507  | 493  | 483  | 474  | 464  | 455  | 445  | 436  | 428  | 419  | 411  | 402  | 393  | 385  | 376  | 368  | 359  | 355  | 351  |
| AVR45-13  | 807            | 781  | 756  | 730  | 705  | 679  | 662  | 644  | 627  | 609  | 592  | 581  | 570  | 558  | 547  | 536  | 526  | 515  | 505  | 494  | 484  | 474  | 463  | 453  | 442  | 432  | 427  | 423  |
| AVR45-15  | 942            | 912  | 882  | 851  | 821  | 791  | 771  | 751  | 730  | 710  | 690  | 677  | 664  | 650  | 637  | 624  | 612  | 600  | 588  | 576  | 564  | 551  | 539  | 527  | 515  | 503  | 498  | 492  |
| AVR45-17  | 1076           | 1040 | 1008 | 972  | 940  | 904  | 880  | 964  | 836  | 812  | 788  | 772  | 756  | 744  | 728  | 712  | 700  | 684  | 672  | 656  | 644  | 632  | 616  | 604  | 588  | 576  | 568  | 564  |
| AVR45-19  | 1211           | 1170 | 1134 | 1094 | 1058 | 1017 | 990  | 1085 | 941  | 914  | 887  | 869  | 851  | 837  | 819  | 801  | 788  | 770  | 756  | 738  | 725  | 711  | 693  | 680  | 662  | 648  | 639  | 635  |
| AVR45-21  | 1345           | 1300 | 1260 | 1215 | 1175 | 1130 | 1100 | 1205 | 1045 | 1015 | 985  | 965  | 945  | 930  | 910  | 890  | 875  | 855  | 840  | 820  | 805  | 790  | 770  | 755  | 735  | 720  | 710  | 705  |
| AVR45-23  | 1480           | 1430 | 1386 | 1337 | 1293 | 1243 | 1210 | 1326 | 1150 | 1117 | 1084 | 1062 | 1040 | 1023 | 1001 | 979  | 963  | 941  | 924  | 902  | 886  | 869  | 847  | 831  | 809  | 792  | 781  | 776  |
| AVR45-25  | 1614           | 1560 | 1512 | 1458 | 1410 | 1356 | 1320 | 1446 | 1254 | 1218 | 1182 | 1158 | 1134 | 1116 | 1092 | 1068 | 1050 | 1026 | 1008 | 984  | 966  | 948  | 924  | 906  | 882  | 864  | 852  | 846  |
| AVR45-27  | 1749           | 1690 | 1638 | 1580 | 1528 | 1469 | 1430 | 1567 | 1359 | 1320 | 1281 | 1255 | 1229 | 1209 | 1183 | 1157 | 1138 | 1112 | 1092 | 1066 | 1047 | 1027 | 1001 | 982  | 956  | 936  | 923  | 917  |
| AVR45-29  | 1883           | 1820 | 1764 | 1701 | 1645 | 1582 | 1540 | 1687 | 1463 | 1421 | 1379 | 1351 | 1323 | 1302 | 1274 | 1246 | 1225 | 1197 | 1176 | 1148 | 1127 | 1106 | 1078 | 1057 | 1029 | 1008 | 994  | 987  |
| AVR45-31  | 2018           | 1950 | 1890 | 1823 | 1763 | 1695 | 1650 | 1808 | 1568 | 1523 | 1478 | 1448 | 1418 | 1395 | 1365 | 1335 | 1313 | 1283 | 1260 | 1230 | 1208 | 1185 | 1155 | 1133 | 1103 | 1080 | 1065 | 1058 |
| AVR45-33  | 2152           | 2080 | 2016 | 1944 | 1880 | 1808 | 1760 | 1928 | 1672 | 1624 | 1576 | 1544 | 1512 | 1488 | 1456 | 1424 | 1400 | 1368 | 1344 | 1312 | 1288 | 1264 | 1232 | 1208 | 1176 | 1152 | 1136 | 1128 |

Ratings in Watts per Cell at 77°F (25°C) to 1.75 v.p.c. *(continued)*

| Cell Type | Time (Minutes) |      |      |      |      |      |      |      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |      |      |
|-----------|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
|           | 33             | 34   | 35   | 36   | 37   | 38   | 39   | 40   | 41   | 42   | 43  | 44  | 45  | 46  | 47  | 48  | 49  | 50  | 51  | 52  | 53  | 54  | 55  | 56  | 57  | 58  | 59   | 60   |
| AVR45-5   | 139            | 138  | 136  | 135  | 133  | 131  | 130  | 128  | 127  | 125  | 124 | 122 | 121 | 119 | 117 | 116 | 114 | 113 | 111 | 110 | 108 | 106 | 105 | 103 | 102 | 100 | 99.0 | 97.0 |
| AVR45-7   | 208            | 206  | 203  | 201  | 199  | 196  | 194  | 192  | 189  | 187  | 185 | 182 | 180 | 178 | 175 | 173 | 171 | 168 | 166 | 164 | 161 | 159 | 157 | 154 | 152 | 150 | 147  | 145  |
| AVR45-9   | 279            | 276  | 273  | 269  | 266  | 263  | 260  | 257  | 254  | 251  | 248 | 245 | 242 | 238 | 235 | 232 | 229 | 226 | 223 | 220 | 217 | 214 | 211 | 207 | 204 | 201 | 198  | 195  |
| AVR45-11  | 348            | 344  | 340  | 336  | 332  | 328  | 352  | 321  | 317  | 313  | 309 | 305 | 302 | 298 | 394 | 290 | 286 | 282 | 279 | 275 | 271 | 267 | 263 | 259 | 256 | 252 | 248  | 244  |
| AVR45-13  | 418            | 413  | 409  | 404  | 399  | 395  | 390  | 385  | 381  | 376  | 371 | 367 | 362 | 357 | 353 | 348 | 343 | 339 | 334 | 329 | 325 | 320 | 315 | 311 | 306 | 301 | 297  | 292  |
| AVR45-15  | 487            | 481  | 476  | 471  | 465  | 460  | 454  | 449  | 444  | 438  | 433 | 427 | 422 | 417 | 411 | 406 | 400 | 395 | 390 | 384 | 379 | 373 | 368 | 363 | 357 | 352 | 346  | 341  |
| AVR45-17  | 556            | 552  | 544  | 540  | 532  | 524  | 520  | 512  | 508  | 500  | 496 | 488 | 484 | 476 | 468 | 464 | 456 | 452 | 444 | 440 | 432 | 424 | 420 | 412 | 408 | 400 | 396  | 388  |
| AVR45-19  | 626            | 621  | 612  | 608  | 599  | 590  | 585  | 576  | 572  | 563  | 558 | 549 | 545 | 536 | 527 | 522 | 513 | 509 | 500 | 495 | 486 | 477 | 473 | 464 | 459 | 450 | 446  | 437  |
| AVR45-21  | 695            | 690  | 680  | 675  | 665  | 655  | 650  | 640  | 635  | 625  | 620 | 610 | 605 | 595 | 585 | 580 | 570 | 565 | 555 | 550 | 540 | 530 | 525 | 515 | 510 | 500 | 495  | 485  |
| AVR45-23  | 765            | 759  | 748  | 743  | 732  | 721  | 715  | 704  | 699  | 688  | 682 | 671 | 666 | 655 | 644 | 638 | 627 | 622 | 611 | 605 | 594 | 583 | 578 | 567 | 561 | 550 | 545  | 534  |
| AVR45-25  | 834            | 828  | 816  | 810  | 798  | 786  | 780  | 768  | 762  | 750  | 744 | 732 | 726 | 714 | 702 | 696 | 684 | 678 | 666 | 660 | 648 | 636 | 630 | 618 | 612 | 600 | 594  | 582  |
| AVR45-27  | 904            | 897  | 884  | 878  | 865  | 852  | 845  | 832  | 826  | 813  | 806 | 793 | 787 | 774 | 761 | 754 | 741 | 735 | 722 | 715 | 702 | 689 | 683 | 670 | 663 | 650 | 644  | 631  |
| AVR45-29  | 973            | 966  | 952  | 945  | 931  | 917  | 910  | 896  | 889  | 875  | 868 | 854 | 847 | 833 | 819 | 812 | 798 | 791 | 777 | 770 | 756 | 742 | 735 | 721 | 714 | 700 | 693  | 679  |
| AVR45-31  | 1043           | 1035 | 1020 | 1013 | 998  | 983  | 975  | 960  | 953  | 938  | 930 | 915 | 908 | 893 | 878 | 870 | 855 | 848 | 833 | 825 | 810 | 795 | 788 | 773 | 765 | 750 | 743  | 728  |
| AVR45-33  | 1112           | 1104 | 1088 | 1080 | 1064 | 1048 | 1040 | 1024 | 1016 | 1000 | 992 | 976 | 968 | 952 | 936 | 928 | 912 | 904 | 888 | 880 | 864 | 848 | 840 | 824 | 816 | 800 | 792  | 776  |



## SPACESAVER™ SYSTEMS

### AVR45 DISCHARGE RATES IN WATTS PER CELL *(cont.)*

Ratings in Watts per Cell at 77°F (25°C) to 1.75 v.p.c.

| Cell Type | Time (Hours) |        |      |      |      |      |      |      |      |      |       |       |       |       |       |
|-----------|--------------|--------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|
|           | 1 Hr         | 1.5 Hr | 2 Hr | 3 Hr | 4 Hr | 5 Hr | 6 Hr | 7 Hr | 8 Hr | 9 Hr | 10 Hr | 12 Hr | 16 Hr | 20 Hr | 24 Hr |
| AVR45-5   | 97.3         | 73.1   | 59.7 | 45.6 | 37.3 | 32.0 | 27.9 | 24.8 | 22.4 | 20.5 | 18.9  | 16.4  | 12.8  | 10.6  | 9.11  |
| AVR45-7   | 146          | 110    | 89.5 | 68.3 | 56.0 | 48.0 | 41.8 | 37.2 | 33.6 | 30.7 | 28.3  | 24.6  | 19.3  | 15.9  | 13.7  |
| AVR45-9   | 195          | 146    | 119  | 91.1 | 74.7 | 64.0 | 55.8 | 49.6 | 44.8 | 40.9 | 37.7  | 32.8  | 25.7  | 21.3  | 18.2  |
| AVR45-11  | 243          | 183    | 149  | 114  | 93.3 | 80.0 | 69.7 | 62.0 | 56.0 | 51.2 | 47.2  | 41.0  | 32.1  | 26.6  | 22.8  |
| AVR45-13  | 292          | 219    | 179  | 137  | 112  | 96.0 | 83.7 | 74.4 | 67.3 | 61.4 | 56.6  | 49.2  | 38.5  | 31.9  | 27.3  |
| AVR45-15  | 341          | 256    | 209  | 159  | 131  | 112  | 97.6 | 86.8 | 78.5 | 71.6 | 66.0  | 57.4  | 45.0  | 37.2  | 31.9  |
| AVR45-17  | 389          | 292    | 239  | 182  | 149  | 128  | 112  | 99.2 | 89.7 | 81.9 | 75.5  | 65.6  | 51.4  | 42.5  | 36.4  |
| AVR45-19  | 438          | 329    | 269  | 205  | 168  | 144  | 126  | 112  | 101  | 92.1 | 84.9  | 73.8  | 57.8  | 47.8  | 41.0  |
| AVR45-21  | 487          | 366    | 298  | 228  | 187  | 160  | 139  | 124  | 112  | 102  | 94.3  | 81.9  | 64.2  | 53.2  | 45.6  |
| AVR45-23  | 535          | 402    | 328  | 251  | 205  | 176  | 153  | 136  | 123  | 113  | 104   | 90.1  | 70.6  | 58.5  | 50.1  |
| AVR45-25  | 584          | 439    | 358  | 273  | 224  | 192  | 167  | 149  | 135  | 123  | 113   | 98.3  | 77.1  | 63.8  | 54.7  |
| AVR45-27  | 633          | 475    | 388  | 296  | 243  | 208  | 181  | 161  | 146  | 133  | 123   | 107   | 83.5  | 69.1  | 59.2  |
| AVR45-29  | 681          | 512    | 418  | 319  | 261  | 224  | 195  | 174  | 157  | 143  | 132   | 115   | 89.9  | 74.4  | 63.8  |
| AVR45-31  | 730          | 548    | 448  | 342  | 280  | 240  | 209  | 186  | 168  | 154  | 142   | 123   | 96.3  | 79.7  | 68.3  |
| AVR45-33  | 779          | 585    | 477  | 364  | 299  | 256  | 223  | 198  | 179  | 164  | 151   | 131   | 103   | 85.1  | 72.9  |

---

**"POWERED FOR PERFORMANCE"<sup>TM</sup>®**

DISTRIBUTED BY:

***EAST PENN manufacturing co., inc.***

Lyon Station, PA 19536-0147 • Phone: 610-682-6361 • Fax: 610-682-4781

**Order Department Hotline: 610-682-3263**

[www.eastpennunigy.com](http://www.eastpennunigy.com)

e-mail: [sales@eastpennunigy.com](mailto:sales@eastpennunigy.com)

E.P.M. Form No. 1152 Rev. 6/10

© 2010 by EPM Printed in U.S.A.

All data subject to change without notice.  
No part of this document may be copied or reproduced, electronically  
or mechanically, without written permission from the company.